t5-4 危害のおそれのな 急傾斜地の位置	歩記乗り	T 1001/0071 1	生記力	十百100	1 記去地	いすみ市大原、大原	则且十尺 5旦 L ム	2023	
	<u> </u> 固川金方	I -122K2371-1	箇所名	大原128	所在地	_ レ・・タ か甲人原、人原	水取上口		N
				Y15 Y14					
			Y16~Y	YIUVa					
			R1	R8 1 R5 R4					
			Y28	R11 R9 R3	Y7 Y6 Y5				
			Y28 Y29 R1 R1	R1 1 R9 R3 12 R2	Y8 Y7 Y6 Y5 Y4				
			Y28 Y29 R1	R11 R9 R3					
			Y28 Y29 R1	R1 1 R9 R3 12 R2					
			Y28 Y29 R1	R1 1 R9 R3 12 R2				1:1,000	

大原128

様式5-5 危害のおそれのある土地の座標一覧

箇所番号

I -122K2371-1

箇所名

急傾斜地の位置

Y24

Y25

Y26

Y27

Y28

Y29

-83413.02

-83414.11

-83415.50

-83417.52

-83423.21

-83426.07


49781.66

49781.41

49780.98 49779.82

49774.35 49771.59 ■ 調査年度 2023 所在地 いすみ市大原、大原最上台

危害のおそれのある区域の座標(土砂災害警戒区域) 著しい危害のおそれのある区域の座標(土砂災害特別警戒区域) 地点記号 X(m) Y(m) 地点記号 X(m) Y(m) 地点記号 X(m) Y(m)地点記号 X(m)Y(m) Y1 -83438.49 49759.65 R1 -83428.81 49768.96 49793.94 49788.44 Y2 -83453.25 -83436.36 Y3 -83433.75 49813.77 R3 -83422.77 49798.91 Y4 -83426.29 49825.58 R4 -83412.29 49807.26 Y5 -83424.22 49824.78 R5 -83409.14 49801.09 Y6 -83422.71 49824.07 R6 -83407.90 49798.65 Y7 -83420.60 49822.88 R7 -83401.38 49785.89 49822.37 Y8 -83420.01 R8 -83412.15 49785.15 -83409.14 49801.09 R9 -83418.95 49783.41 Y9 Y10 -83407.90 49798.65 R10 -83418.34 49779.03 Y11 -83400.33 49783.82 R11 -83423.21 49774.35 Y12 -83399.06 49782.43 R12 -83426.07 49771.59 -83397.74 49781.58 Y13 Y14 -83397.39 49781.36 Y15 -83393.49 49780.44 49779.90 Y16 -83391.21 Y17 -83391.12 49779.71 -83397.78 49780.93 Y18 -83403.33 49781.06 Y19 Y20 -83403.12 49780.39 Y21 -83406.16 49780.86 Y22 -83411.88 49781.73 Y23 -83412.95 49781.67



様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

急傾斜地の位置 箇所番号 I-122K2371-2 箇所名 大原128 大原128 所在地 いすみ市大原、大原最上台

	危害のおそれ	のある区域の	の座標(土砂ジ	泛害警戒区域	<u>;</u>)	著しい	危害のおそれ	1のある区域	の座標(土砂り	災害特別警戒	戊区域)
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記 号	X(m)	Y(m)
Y1	-83433.07	49779.24	Y31	-83412.13	49800.48	R1	-83415.22	49797.34			
Y2	-83437.72	49794.18				R2	-83422.34	49810.35			
Y3	-83441.92	49795.23				R3	-83436.08	49813.39			
Y4	-83454.80	49790.79				R4	-83451.34	49814.63			
Y5	-83481.04	49797.94				R5	-83464.18	49819.32			
Y6	-83484.91	49822.66				R6	-83465.54	49832.60			
Y7	-83478.28	49852.35				R7	-83456.84	49849.99			
Y8	-83472.76	49877.45				R8	-83461.72	49866.48			
Y9	-83461.14	49901.03				R9	-83454.63	49878.09			
Y10	-83423.64	49897.32				R10	-83434.78	49875.28			
Y11	-83411.34	49886.60				R11	-83424.92	49864.12			
Y12	-83428.50	49858.19				R12	-83428.50	49858.19			
Y13	-83429.53	49856.47				R13	-83429.53	49856.47			
Y14	-83431.38	49853.42				R14	-83431.38	49853.42			
Y15	-83435.49	49847.11				R15	-83435.49	49847.11			
Y16	-83435.59	49846.96				R16	-83443.24	49854.57			
Y17	-83439.15	49841.49				R17	-83447.67	49855.59			
Y18	-83436.16	49840.26				R18	-83450.12	49854.96			
Y19	-83421.31	49834.88				R19	-83450.91	49849.13			
Y20	-83418.40	49833.62				R20	-83451.02	49839.94			
Y21	-83414.62	49831.66				R21	-83450.00	49837.30			
Y22	-83409.20	49828.15				R22	-83448.07	49835.73			
Y23	-83406.23	49826.44				R23	-83430.96	49829.29			
Y24	-83403.03	49824.74				R24	-83411.34	49821.93			
Y25	-83399.97	49823.48				R25	-83399.07	49813.73			
Y26	-83398.17	49822.86				R26	-83408.50	49804.17			
Y27	-83392.56	49820.34				R27	-83412.13	49800.48			
Y28	-83394.09	49818.79									
Y29	-83395.30	49817.56									
Y30	-83408.50	49804.17									

5-4 危害のおそれのあ 急傾斜地の位置	る工地寺の座標位	直凶	佐託ね	→ 臣 100	=======================================	いすみ市大原、	一 調金年度	2023	1
忌傾科地の位直	固別番号	I -122K2371-3	箇所名	大原128	所在地	いりか巾天原、	人原取上台		
									N
									A
				Y10 Y9 Q Y8					
				Y10 Y9 Y8 Y112 Y111 P1 R1 R5 R4 R3 Y5 Y6 Y6					
				Y1 P1 R5 R4					
				Y1 R11R3 R3 Y2 Y2 Y4 Y5 Y6					
				Y2 P2 Y4 Y5 Y6					
				Y3 1/2					
								1:1,000	
							0	25	50
							.		

様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

1975 1 7 7 8 1 7 0 0	C 1	5 - + 12 n						
急傾斜地の位置	箇所番号	I -122K2371-3	箇所名	大原128	所在地	いすみ市大原	、大原最上台	
		のようにはの広振/上型の		苦しい名中のわるものもろ豆は	<u> </u>		b — 1 b	

危害のおそれのある区域の座標(土砂災害警戒区域)						著しい危害のおそれのある区域の座標(土砂災害特別警戒区域)						
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	
Y1	-83467.60	49825.81				R1	-83465.76	49830.70				
Y2	-83475.55	49827.11				R2	-83474.18	49832.66				
Y3	-83474.97	49829.43				R3	-83473.15	49836.82				
Y4	-83473.15	49836.82				R4	-83464.07	49835.16				
Y5	-83471.98	49841.57				R5	-83465.45	49831.51				
Y6	-83471.62	49843.04										
Y7	-83469.59	49851.28										
Y8	-83458.13	49850.88										
Y9	-83460.95	49843.42										
Y10	-83461.66	49841.53										
Y11	-83464.07	49835.16										
Y12	-83465.45	49831.51										

4 危害のおそれのあ 急傾斜地の位置	る工地寺の座標位		hh =r h	TE100	=r +- m.	いすみ市大原、	一一調査年度	2023)
忌傾科地の位直	固別番号	I -122K2371-4	箇所名	大原128	所在地	いりみ巾天原、	人以取上台		
									Ν
									V
				Y10					
				Y9 V2					
				Y8 Y7 _{R2 ve}					
			Y11	Y10 Y9 Y8 Y7 R3 Y12 R3 Y7R2 Y6 Y5					
			Y13 C	R4R5 R7R6 R8R1					
			Y1	4 R8R1 /					
				R4 R5 4 R7 R6 R8 R1 Y15 Y16 Y17 Y17					
				Y17					
				Y1					
								1.1 000	
								1:1,000	
							0	25	50
									

大原128

様式5-5 危害のおそれのある土地の座標一覧

I -122K2371-4

箇所名

急傾斜地の位置 箇所番号

調査年度

所在地

いすみ市大原、大原最上台

2023

也点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
Y1	-83486.46	49868.00				R1	-83470.55	49864.26			
Y2	-83478.67	49874.29				R2	-83460.69	49876.11			
Y3	-83478.67	49874.29				R3	-83459.04	49871.72			
Y4	-83478.67	49874.29				R4	-83468.75	49862.03			
Y5	-83462.57	49881.08				R5	-83468.75	49862.03			
Y6	-83461.13	49877.25				R6	-83469.36	49862.78			
Y7	-83459.04	49871.72				R7	-83469.36	49862.78			
Y8	-83456.93	49866.11				R8	-83470.55	49864.26			
Y9	-83456.56	49865.14									
Y10	-83453.40	49856.75									
Y11	-83461.18	49852.68									
Y12	-83461.18	49852.68									
Y13	-83469.04	49846.32									
Y14	-83472.12	49850.15									
Y15	-83475.31	49854.12									
Y16	-83477.19	49856.46									
Y17	-83481.01	49861.22									

5-4 危害のおそれのあ 急傾斜地の位置	る工地寺の座標位	直凶	公 記力	→ [100	記去山	いすみ市大原、	脚盆年度 一調金をよる	2023	
志傾斜地の1位直	固川番号	I -122K2371-5	箇所名	大原128	所在地	□い9 か甲人原、	人尔取上了		
									Ν
									A
				Y6 Y5 Y4Y3 _{R2}					
				R4 R3 Y2					
				/ / /					
				Y8 R5					
				Y9 Y10 Y11 R1 Y12 Y1					
								4.4.000	
								1:1,000	
							0	25	50

様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

急傾斜地の位置	箇所番号	I -122K2371-5	箇所名	大原128	所在地	いすみ市大原、大原最上台

危害のおそれのある区域の座標(土砂災害警戒区域)						著しい危害のおそれのある区域の座標(土砂災害特別警戒区域)					
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
Y1	-83381.01	49921.32				R1	-83379.99	49916.16			
Y2	-83369.77	49924.23				R2	-83369.12	49918.89			
Y3	-83368.80	49916.34				R3	-83368.80	49916.34			
Y4	-83368.55	49914.31				R4	-83368.55	49914.31			
Y5	-83367.85	49908.65				R5	-83379.07	49911.51			
Y6	-83367.77	49908.00									
Y7	-83366.63	49898.73									
Y8	-83375.91	49895.52									
Y9	-83377.50	49903.58									
Y10	-83377.85	49905.33									
Y11	-83379.07	49911.51									
Y12	-83380.28	49917.63									
			 								

5-4 危害のおそれのあ 急傾斜地の位置	る工地寺の座標位	直凶		上压100	=r +- ut	調査年 いすみ市大原、大原最上	支	2023
思限科型の位直	固川番芍	I -122K2371-6	箇所名	大原128	所在地	いりの甲人原、人原取工	<u> </u>	
								N
								Ň
				Y4				
		,	Y5 Q					
					Y3			
				R4				
			R5					
			Y6 R7	R3				
			Y8 Y9 F	29				
			1	R10 R11 R13				
			R12 Y12	R14				
			Y11 R12 Y12 Y1: Y1. Y1	R15	12			
			Y16~Y2) 	Y2			
			Y2					
			12	Y22 Y23 R16				
				Y24 _{Y25} R1				
					Y26 Y1			
					723 Y1			
							1:1,500	
						0	30	60 m


様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

急傾斜地の位置 箇所番号 I-122K2371-6 箇所名 大原128	所在地	いすみ市大原、大原最上台
-------------------------------------	-----	--------------

;	危害のおそれ	のある区域の	の座標(土砂災	害警戒区域)	著しい	危害のおそれ	1のある区域	の座標(土砂り	災害特別警療	戍区域)
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
Y1	-83318.94	49966.00				R1	-83310.62	49933.24			
Y2	-83289.46	49968.11				R2	-83287.04	49933.86			
Y3	-83240.82	49950.24				R3	-83262.42	49924.06			
Y4	-83215.16	49898.59				R4	-83249.01	49897.85			
Y5	-83228.34	49853.61				R5	-83254.42	49874.40			
Y6	-83260.38	49879.14				R6	-83260.38	49879.14			
Y7	-83262.44	49880.78				R7	-83262.44	49880.78			
Y8	-83262.83	49881.09				R8	-83262.83	49881.09			
Y9	-83266.32	49883.39				R9	-83266.32	49883.39			
Y10	-83270.53	49885.22				R10	-83270.53	49885.22			
Y11	-83275.85	49887.20				R11	-83275.85	49887.20			
Y12	-83280.29	49888.39				R12	-83278.31	49887.86			
Y13	-83283.36	49889.08				R13	-83277.66	49896.87			
Y14	-83284.34	49889.30				R14	-83278.85	49903.35			
Y15	-83286.92	49889.50				R15	-83284.84	49903.20			
Y16	-83293.10	49889.23				R16	-83304.10	49904.39			
Y17	-83293.33	49889.22				R17	-83306.69	49917.75			
Y18	-83291.08	49890.00				R18	-83308.06	49923.15			
Y19	-83288.66	49892.31									
Y20	-83292.39	49890.18									
Y21	-83301.13	49889.05									
Y22	-83302.48	49896.03									
Y23	-83303.03	49898.87									
Y24	-83306.69	49917.75									
Y25	-83308.06	49923.15									
Y26	-83317.88	49961.83									



様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

急傾斜地の位置 箇所番号 I-122K2371-7 箇所名 大原128 大原128 所在地 いすみ市大原、大原最上台

:	危害のおそれ	のある区域の	の座標(土砂ジ	災害警戒区域	<u>;</u>)	著しい	危害のおそれ	1のある区域	の座標(土砂り	災害特別警戒	艾区域)
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
Y1	-83316.30	49765.62	Y31	-83356.29	49821.63	R1	-83328.89	49787.25			
Y2	-83303.48	49766.21	Y32	-83355.37	49822.70	R2	-83339.32	49781.44			
Y3	-83318.90	49727.54	Y33	-83354.73	49822.08	R3	-83347.22	49775.91			
Y4	-83320.81	49727.94	Y34	-83352.18	49819.61	R4	-83334.14	49763.74			
Y5	-83343.36	49745.95	Y35	-83348.51	49816.05	R5	-83342.02	49744.88			
Y6	-83349.71	49751.03	Y36	-83344.67	49811.60	R6	-83343.36	49745.95			
Y7	-83351.45	49752.42	Y37	-83341.07	49806.63	R7	-83349.71	49751.03			
Y8	-83356.45	49755.99	Y38	-83336.42	49800.17	R8	-83351.45	49752.42			
Y9	-83358.28	49757.03	Y39	-83333.90	49795.84	R9	-83356.45	49755.99			
Y10	-83360.42	49757.98	Y40	-83331.13	49791.09	R10	-83358.28	49757.03			
Y11	-83361.61	49758.37				R11	-83360.42	49757.98			
Y12	-83362.92	49758.57				R12	-83361.61	49758.37			
Y13	-83364.58	49758.80				R13	-83362.92	49758.57			
Y14	-83366.44	49758.70				R14	-83364.58	49758.80			
Y15	-83374.93	49756.96				R15	-83366.44	49758.70			
Y16	-83381.73	49755.58				R16	-83368.00	49758.38			
Y17	-83383.57	49755.20				R17	-83367.35	49759.44			
Y18	-83384.08	49757.17				R18	-83370.01	49787.78			
Y19	-83384.71	49760.32				R19	-83364.15	49806.56			
Y20	-83385.14	49761.72				R20	-83347.12	49814.44			
Y21	-83385.82	49784.33				R21	-83344.67	49811.60			
Y22	-83384.33	49785.97				R22	-83341.07	49806.63			
Y23	-83381.73	49789.11				R23	-83336.42	49800.17			
Y24	-83378.26	49793.80				R24	-83333.90	49795.84			
Y25	-83375.81	49797.70				R25	-83331.13	49791.09			
Y26	-83374.54	49803.42									
Y27	-83374.42	49808.08									
Y28	-83373.87	49812.36									
Y29	-83367.76	49814.57									
Y30	-83360.32	49818.41									

5-4 危害のおそれのあ	<u>る土地等の座標位</u>	置図				調査年度 いすみ市大原、大原最上台	2023	
急傾斜地の位置	箇所番号	I -122K2371-8	箇所名	大原128	所在地	いすみ市大原、大原最上台		
								Ν
								Ā
								/ \
				V00				
				Y20 Y21 Y22 Y23 Y26 Y25 Y24 Y26 Y26 Y27 Y26 Y27 Y27 Y28 Y29 Y21 Y21 Y21 Y22 Y23 Y23 Y24 Y21 Y22 Y23 Y24 Y27 Y27 Y27 Y27 Y27 Y27 Y27 Y27 Y27 Y27				
				Y22 Y23				
				Y25 Y24 Y8~Y19				
			R1 Y27	Y26 R11				
			R	4R13R12				
			Y10	R8				
			\ \ \ \ \	R9 1.0				
			\ _		R5			
			\	22				
			\	R4	Y6 Y5			
				R3				
			Y2					
				Y3 Y4				
							1:1 000	
						0	1:1,000 ₂₅	50

様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
<u>地总配专</u> Y1	-83175.97	49940.66	地点配写	A(m)	f (m)		-83171.87	49954.59	地点記写	X(m)	r (m)
						R1					<u> </u>
Y2	-83202.81	49953.97 49962.94				R2	-83189.15	49962.97			
Y3	-83211.88 -83210.27	49962.94				R3	-83195.27 -83190.63	49968.71 49982.42			
Y4			-			R4					
Y5	-83197.44	50009.22				R5	-83186.83	49999.63			
Y6	-83195.89	50007.81				R6	-83181.27	49994.60			
Y7	-83181.27	49994.60				R7	-83174.08	49988.10			
Y8	-83169.15	49983.64				R8	-83175.43	49979.96			
Y9	-83167.83	49982.80				R9	-83176.73	49975.15			
Y10	-83167.40	49982.53				R10	-83174.17	49972.84			
Y11	-83166.29	49982.29				R11	-83167.23	49970.13			
Y12	-83164.94	49982.13				R12	-83168.12	49967.35			
Y13	-83163.27	49982.05				R13	-83169.59	49962.34			
Y14	-83160.97	49982.13				R14	-83170.59	49958.93			
Y15	-83157.95	49982.24									
Y16	-83161.33	49981.14									
Y17	-83160.86	49980.66									
Y18	-83159.79	49980.65									
Y19	-83156.61	49981.70									
Y20	-83158.76	49980.53									
Y21	-83162.14	49978.68									
Y22	-83164.26	49976.77									
Y23	-83164.65	49976.02									
Y24	-83166.48	49972.49									
Y25	-83168.12	49967.35									
Y26	-83169.59	49962.34									
Y27	-83170.59	49958.93									
				_							

·4 危害のおそれのある土地等の座標位置図 - 傾斜地の位置 ┃ 箇所番号 ┃ I-122K2371-9 ┃ 箇所名 ┃ 大原128 ┃ 所在地 いすみ市大							調査年度 いすみ市大原、大原最上台			
急傾斜地の位置	<u> </u>	I -122K2371-9	箇所名	大原128	所在地	いずみ市大原、	、大原最上台			
									Ν	
									\ \	
				Y7 • Y6						
				Y8 Y6						
				\ \						
				Y9 Y10 R5 R4 R3 Y4 R6 Y11 R1 Y12 Y3						
				Y10 R5 R4 R6Y11 R1 R2 Y12 Y3						
				R1 R2						
				112						
				Y1 Y2						
								4.4.600		
								1:1,000		
							0	25	50	

様式5-5 危害のおそれのある土地の座標一覧

調査年度

2023

急傾斜地の位置	箇所番号	I -122K2371-9	箇所名	大原128	所在地	いすみ市大原、大原最上台

1	危害のおそれ	のある区域の	の座標(土砂災	害警戒区域)	著しい	危害のおそれ	1のある区域	の座標(土砂ジ	災害特別警戒	戒区域) ————	
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	
Y1	-83164.48	49995.49				R1	-83155.43	49992.89				
Y2	-83165.11	50006.74				R2	-83157.39	50004.51				
Y3	-83160.09	50005.29				R3	-83154.16	50003.58				
Y4	-83154.16	50003.58				R4	-83153.71	50003.45				
Y5	-83150.51	50002.53				R5	-83154.22	49992.55				
Y6	-83140.94	49999.77				R6	-83154.29	49992.56				
Y7	-83140.90	49999.76										
Y8	-83143.53	49989.47										
Y9	-83149.66	49991.23										
Y10	-83153.14	49992.23										
Y11	-83154.29	49992.56										
Y12	-83159.68	49994.11										
			 									
			-									
			 						 			
			 						 			

5-4 危害のおそれのあ	る土地等の座標位	置図			調査年度 いすみ市大原、大原最上台		2023	
急傾斜地の位置	箇所番号	I -122K2371-10	箇所名	大原128	所在地	いすみ市大原、大原最上台		
								N
								\wedge
				Y3				
			V4.					
			Y4 (1/5			
			V5.	R3	Y2			
			Y5 R4	R2				
			Y6 R: Y7 F Y8 R8 Y9	R6 R7 R9				
				R10 R1				
			Y10~Y16	Y	28 Y1			
				R11~R14				
							I Emm	
						0	1:1,000 ²⁵	50
							==	50

様式5-5 危害のおそれのある土地の座標一覧

調査年度 2023

急傾斜地の位置 箇所番号 I-122K2371-10 箇所名 大原128 所在地 いすみ市大原、大原最上台

地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)
Y1	-83113.14	50059.22	地流电力	X(III)	1 (11)	R1	-83110.94	50044.22	地派记与	XIII)	1 (111)
Y2	-83084.46	50061.82				R2	-83096.82	50046.49			
Y3	-83069.02	50032.46				R3	-83088.04	50029.80			
Y4	-83076.37	50006.17				R4	-83090.90	50011.96			
Y5	-83089.95	50011.59				R5	-83098.48	50014.99			
Y6	-83098.48	50014.99				R6	-83101.59	50016.23			
Y7	-83101.59	50016.23				R7	-83104.56	50017.15			
Y8	-83104.56	50017.15				R8	-83105.79	50017.40			
Y9	-83107.81	50017.81				R9	-83105.61	50027.29			
Y10	-83110.82	50018.05				R10	-83107.75	50032.93			
Y11	-83111.33	50018.04				R11	-83111.65	50034.60			
Y12	-83113.34	50017.97				R12	-83110.68	50038.04			
Y13	-83115.56	50017.28				R13	-83110.69	50038.39			
Y14	-83117.52	50016.22				R14	-83110.84	50043.60			
Y15	-83119.90	50015.06						000 10100			
Y16	-83120.60	50014.71									
Y17	-83118.12	50019.57									
Y18	-83117.40	50021.59									
Y19	-83117.69	50022.59									
Y20	-83117.28	50023.12									
Y21	-83115.29	50025.65									
Y22	-83113.52	50029.16									
Y23	-83112.76	50031.21									
Y24	-83112.11	50032.96									
Y25	-83110.68	50038.04									
Y26	-83110.69	50038.39									
Y27	-83110.84	50043.60									
Y28	-83112.50	50054.83									