


急傾斜地の崩壊区域調書

様式5-4 気概のおそれのある土地等の座標位置図

調査年度

令和4年度

急傾斜地の位置 箇所番号 I-151K2269 箇所名 姉崎14 所在地 市原市姉崎



急傾斜地の崩壊区域調書

様式5-5 危害のおそれのある土地等の座標一覧

				調査年度	令和4年度																																																																																																																																																																																																																																																																																																																																																																								
急傾斜地の位置	箇所番号	I-151K2269	箇所名	姉崎14	所在地 市原市姉崎																																																																																																																																																																																																																																																																																																																																																																								
<table border="1"> <thead> <tr> <th colspan="6">危害のおそれのある土地の座標</th></tr> <tr> <th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th></tr> </thead> <tbody> <tr><td>Y-1</td><td>-58486.73</td><td>19215.84</td><td>Y-29</td><td>-58591.90</td><td>19242.06</td></tr> <tr><td>Y-2</td><td>-58491.30</td><td>19199.05</td><td>Y-30</td><td>-58586.87</td><td>19245.12</td></tr> <tr><td>Y-3</td><td>-58501.20</td><td>19187.51</td><td>Y-31</td><td>-58578.32</td><td>19250.32</td></tr> <tr><td>Y-4</td><td>-58516.61</td><td>19174.94</td><td>Y-32</td><td>-58566.86</td><td>19231.93</td></tr> <tr><td>Y-5</td><td>-58527.42</td><td>19170.52</td><td>Y-33</td><td>-58564.31</td><td>19227.10</td></tr> <tr><td>Y-6</td><td>-58531.24</td><td>19179.76</td><td>Y-34</td><td>-58565.26</td><td>19223.86</td></tr> <tr><td>Y-7</td><td>-58531.24</td><td>19179.76</td><td>Y-35</td><td>-58564.87</td><td>19220.86</td></tr> <tr><td>Y-8</td><td>-58533.85</td><td>19186.05</td><td>Y-36</td><td>-58545.95</td><td>19203.45</td></tr> <tr><td>Y-9</td><td>-58537.67</td><td>19195.29</td><td>Y-37</td><td>-58545.85</td><td>19193.23</td></tr> <tr><td>Y-10</td><td>-58531.32</td><td>19201.42</td><td>Y-38</td><td>-58590.17</td><td>19263.48</td></tr> <tr><td>Y-11</td><td>-58522.29</td><td>19205.93</td><td>Y-39</td><td>-58594.88</td><td>19261.77</td></tr> <tr><td>Y-12</td><td>-58517.68</td><td>19212.92</td><td>Y-40</td><td>-58599.58</td><td>19260.07</td></tr> <tr><td>Y-13</td><td>-58511.17</td><td>19226.34</td><td>Y-41</td><td>-58605.41</td><td>19257.96</td></tr> <tr><td>Y-14</td><td>-58501.98</td><td>19222.40</td><td>Y-42</td><td>-58605.41</td><td>19257.96</td></tr> <tr><td>Y-15</td><td>-58495.92</td><td>19219.79</td><td>Y-43</td><td>-58614.81</td><td>19254.55</td></tr> <tr><td>Y-16</td><td>-58495.91</td><td>19219.79</td><td>Y-44</td><td>-58616.67</td><td>19259.97</td></tr> <tr><td>Y-17</td><td>-58549.63</td><td>19182.78</td><td>Y-45</td><td>-58624.83</td><td>19274.49</td></tr> <tr><td>Y-18</td><td>-58555.99</td><td>19181.77</td><td>Y-46</td><td>-58630.96</td><td>19287.48</td></tr> <tr><td>Y-19</td><td>-58559.51</td><td>19181.22</td><td>Y-47</td><td>-58633.08</td><td>19296.03</td></tr> <tr><td>Y-20</td><td>-58563.86</td><td>19180.53</td><td>Y-48</td><td>-58631.28</td><td>19296.53</td></tr> <tr><td>Y-21</td><td>-58573.73</td><td>19178.97</td><td>Y-49</td><td>-58634.30</td><td>19306.82</td></tr> <tr><td>Y-22</td><td>-58578.18</td><td>19188.65</td><td>Y-50</td><td>-58631.70</td><td>19312.99</td></tr> <tr><td>Y-23</td><td>-58579.67</td><td>19187.96</td><td>Y-51</td><td>-58630.79</td><td>19313.47</td></tr> <tr><td>Y-24</td><td>-58583.39</td><td>19180.51</td><td>Y-52</td><td>-58629.43</td><td>19320.60</td></tr> <tr><td>Y-25</td><td>-58594.77</td><td>19195.69</td><td>Y-53</td><td>-58628.37</td><td>19326.12</td></tr> <tr><td>Y-26</td><td>-58609.58</td><td>19215.62</td><td>Y-54</td><td>-58618.49</td><td>19327.63</td></tr> <tr><td>Y-27</td><td>-58606.45</td><td>19226.23</td><td>Y-55</td><td>-58611.96</td><td>19328.63</td></tr> <tr><td>Y-28</td><td>-58600.45</td><td>19236.87</td><td>Y-56</td><td>-58610.52</td><td>19328.85</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="6">著しい危害のおそれのある土地の座標</th></tr> <tr> <th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th></tr> </thead> <tbody> <tr><td>R-1</td><td>-58491.54</td><td>19217.91</td><td>R-29</td><td>-58605.41</td><td>19257.96</td></tr> <tr><td>R-2</td><td>-58497.08</td><td>19202.09</td><td>R-30</td><td>-58609.85</td><td>19256.35</td></tr> <tr><td>R-3</td><td>-58506.45</td><td>19192.10</td><td>R-31</td><td>-58610.02</td><td>19262.22</td></tr> <tr><td>R-4</td><td>-58520.19</td><td>19181.39</td><td>R-32</td><td>-58616.56</td><td>19276.89</td></tr> <tr><td>R-5</td><td>-58529.42</td><td>19175.35</td><td>R-33</td><td>-58620.57</td><td>19290.31</td></tr> <tr><td>R-6</td><td>-58531.24</td><td>19179.76</td><td>R-34</td><td>-58622.56</td><td>19298.20</td></tr> <tr><td>R-7</td><td>-58531.24</td><td>19179.76</td><td>R-35</td><td>-58621.43</td><td>19298.54</td></tr> <tr><td>R-8</td><td>-58523.74</td><td>19187.77</td><td>R-36</td><td>-58623.93</td><td>19309.21</td></tr> <tr><td>R-9</td><td>-58510.99</td><td>19196.07</td><td>R-37</td><td>-58624.01</td><td>19314.09</td></tr> <tr><td>R-10</td><td>-58503.07</td><td>19205.24</td><td>R-38</td><td>-58623.07</td><td>19314.56</td></tr> <tr><td>R-11</td><td>-58495.92</td><td>19219.79</td><td>R-39</td><td>-58617.13</td><td>19315.40</td></tr> <tr><td>R-12</td><td>-58495.91</td><td>19219.79</td><td>R-40</td><td>-58617.12</td><td>19315.40</td></tr> <tr><td>R-13</td><td>-58561.73</td><td>19191.51</td><td>R-41</td><td>-58614.81</td><td>19315.73</td></tr> <tr><td>R-14</td><td>-58564.34</td><td>19191.23</td><td>R-42</td><td>-58615.58</td><td>19315.29</td></tr> <tr><td>R-15</td><td>-58570.44</td><td>19190.56</td><td>R-43</td><td>-58612.44</td><td>19311.86</td></tr> <tr><td>R-16</td><td>-58570.59</td><td>19192.13</td><td>R-44</td><td>-58610.45</td><td>19300.78</td></tr> <tr><td>R-17</td><td>-58577.73</td><td>19192.85</td><td>R-45</td><td>-58610.63</td><td>19300.67</td></tr> <tr><td>R-18</td><td>-58586.21</td><td>19203.86</td><td>R-46</td><td>-58608.95</td><td>19293.47</td></tr> <tr><td>R-19</td><td>-58595.96</td><td>19219.07</td><td>R-47</td><td>-58607.22</td><td>19279.60</td></tr> <tr><td>R-20</td><td>-58594.84</td><td>19227.90</td><td>R-48</td><td>-58604.03</td><td>19264.24</td></tr> <tr><td>R-21</td><td>-58595.89</td><td>19239.64</td><td>R-49</td><td>-58617.75</td><td>19322.30</td></tr> <tr><td>R-22</td><td>-58591.90</td><td>19242.06</td><td>R-50</td><td>-58618.35</td><td>19322.21</td></tr> <tr><td>R-23</td><td>-58582.48</td><td>19229.68</td><td>R-51</td><td>-58618.36</td><td>19322.21</td></tr> <tr><td>R-24</td><td>-58580.48</td><td>19223.00</td><td>R-52</td><td>-58623.06</td><td>19321.52</td></tr> <tr><td>R-25</td><td>-58576.86</td><td>19212.78</td><td>R-53</td><td>-58623.20</td><td>19326.91</td></tr> <tr><td>R-26</td><td>-58571.58</td><td>19206.25</td><td>R-54</td><td>-58618.49</td><td>19327.63</td></tr> <tr><td>R-27</td><td>-58560.61</td><td>19196.71</td><td></td><td></td><td></td></tr> <tr><td>R-28</td><td>-58605.41</td><td>19257.96</td><td></td><td></td><td></td></tr> </tbody> </table>						危害のおそれのある土地の座標						地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	Y-1	-58486.73	19215.84	Y-29	-58591.90	19242.06	Y-2	-58491.30	19199.05	Y-30	-58586.87	19245.12	Y-3	-58501.20	19187.51	Y-31	-58578.32	19250.32	Y-4	-58516.61	19174.94	Y-32	-58566.86	19231.93	Y-5	-58527.42	19170.52	Y-33	-58564.31	19227.10	Y-6	-58531.24	19179.76	Y-34	-58565.26	19223.86	Y-7	-58531.24	19179.76	Y-35	-58564.87	19220.86	Y-8	-58533.85	19186.05	Y-36	-58545.95	19203.45	Y-9	-58537.67	19195.29	Y-37	-58545.85	19193.23	Y-10	-58531.32	19201.42	Y-38	-58590.17	19263.48	Y-11	-58522.29	19205.93	Y-39	-58594.88	19261.77	Y-12	-58517.68	19212.92	Y-40	-58599.58	19260.07	Y-13	-58511.17	19226.34	Y-41	-58605.41	19257.96	Y-14	-58501.98	19222.40	Y-42	-58605.41	19257.96	Y-15	-58495.92	19219.79	Y-43	-58614.81	19254.55	Y-16	-58495.91	19219.79	Y-44	-58616.67	19259.97	Y-17	-58549.63	19182.78	Y-45	-58624.83	19274.49	Y-18	-58555.99	19181.77	Y-46	-58630.96	19287.48	Y-19	-58559.51	19181.22	Y-47	-58633.08	19296.03	Y-20	-58563.86	19180.53	Y-48	-58631.28	19296.53	Y-21	-58573.73	19178.97	Y-49	-58634.30	19306.82	Y-22	-58578.18	19188.65	Y-50	-58631.70	19312.99	Y-23	-58579.67	19187.96	Y-51	-58630.79	19313.47	Y-24	-58583.39	19180.51	Y-52	-58629.43	19320.60	Y-25	-58594.77	19195.69	Y-53	-58628.37	19326.12	Y-26	-58609.58	19215.62	Y-54	-58618.49	19327.63	Y-27	-58606.45	19226.23	Y-55	-58611.96	19328.63	Y-28	-58600.45	19236.87	Y-56	-58610.52	19328.85	著しい危害のおそれのある土地の座標						地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	R-1	-58491.54	19217.91	R-29	-58605.41	19257.96	R-2	-58497.08	19202.09	R-30	-58609.85	19256.35	R-3	-58506.45	19192.10	R-31	-58610.02	19262.22	R-4	-58520.19	19181.39	R-32	-58616.56	19276.89	R-5	-58529.42	19175.35	R-33	-58620.57	19290.31	R-6	-58531.24	19179.76	R-34	-58622.56	19298.20	R-7	-58531.24	19179.76	R-35	-58621.43	19298.54	R-8	-58523.74	19187.77	R-36	-58623.93	19309.21	R-9	-58510.99	19196.07	R-37	-58624.01	19314.09	R-10	-58503.07	19205.24	R-38	-58623.07	19314.56	R-11	-58495.92	19219.79	R-39	-58617.13	19315.40	R-12	-58495.91	19219.79	R-40	-58617.12	19315.40	R-13	-58561.73	19191.51	R-41	-58614.81	19315.73	R-14	-58564.34	19191.23	R-42	-58615.58	19315.29	R-15	-58570.44	19190.56	R-43	-58612.44	19311.86	R-16	-58570.59	19192.13	R-44	-58610.45	19300.78	R-17	-58577.73	19192.85	R-45	-58610.63	19300.67	R-18	-58586.21	19203.86	R-46	-58608.95	19293.47	R-19	-58595.96	19219.07	R-47	-58607.22	19279.60	R-20	-58594.84	19227.90	R-48	-58604.03	19264.24	R-21	-58595.89	19239.64	R-49	-58617.75	19322.30	R-22	-58591.90	19242.06	R-50	-58618.35	19322.21	R-23	-58582.48	19229.68	R-51	-58618.36	19322.21	R-24	-58580.48	19223.00	R-52	-58623.06	19321.52	R-25	-58576.86	19212.78	R-53	-58623.20	19326.91	R-26	-58571.58	19206.25	R-54	-58618.49	19327.63	R-27	-58560.61	19196.71				R-28	-58605.41	19257.96			
危害のおそれのある土地の座標																																																																																																																																																																																																																																																																																																																																																																													
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)																																																																																																																																																																																																																																																																																																																																																																								
Y-1	-58486.73	19215.84	Y-29	-58591.90	19242.06																																																																																																																																																																																																																																																																																																																																																																								
Y-2	-58491.30	19199.05	Y-30	-58586.87	19245.12																																																																																																																																																																																																																																																																																																																																																																								
Y-3	-58501.20	19187.51	Y-31	-58578.32	19250.32																																																																																																																																																																																																																																																																																																																																																																								
Y-4	-58516.61	19174.94	Y-32	-58566.86	19231.93																																																																																																																																																																																																																																																																																																																																																																								
Y-5	-58527.42	19170.52	Y-33	-58564.31	19227.10																																																																																																																																																																																																																																																																																																																																																																								
Y-6	-58531.24	19179.76	Y-34	-58565.26	19223.86																																																																																																																																																																																																																																																																																																																																																																								
Y-7	-58531.24	19179.76	Y-35	-58564.87	19220.86																																																																																																																																																																																																																																																																																																																																																																								
Y-8	-58533.85	19186.05	Y-36	-58545.95	19203.45																																																																																																																																																																																																																																																																																																																																																																								
Y-9	-58537.67	19195.29	Y-37	-58545.85	19193.23																																																																																																																																																																																																																																																																																																																																																																								
Y-10	-58531.32	19201.42	Y-38	-58590.17	19263.48																																																																																																																																																																																																																																																																																																																																																																								
Y-11	-58522.29	19205.93	Y-39	-58594.88	19261.77																																																																																																																																																																																																																																																																																																																																																																								
Y-12	-58517.68	19212.92	Y-40	-58599.58	19260.07																																																																																																																																																																																																																																																																																																																																																																								
Y-13	-58511.17	19226.34	Y-41	-58605.41	19257.96																																																																																																																																																																																																																																																																																																																																																																								
Y-14	-58501.98	19222.40	Y-42	-58605.41	19257.96																																																																																																																																																																																																																																																																																																																																																																								
Y-15	-58495.92	19219.79	Y-43	-58614.81	19254.55																																																																																																																																																																																																																																																																																																																																																																								
Y-16	-58495.91	19219.79	Y-44	-58616.67	19259.97																																																																																																																																																																																																																																																																																																																																																																								
Y-17	-58549.63	19182.78	Y-45	-58624.83	19274.49																																																																																																																																																																																																																																																																																																																																																																								
Y-18	-58555.99	19181.77	Y-46	-58630.96	19287.48																																																																																																																																																																																																																																																																																																																																																																								
Y-19	-58559.51	19181.22	Y-47	-58633.08	19296.03																																																																																																																																																																																																																																																																																																																																																																								
Y-20	-58563.86	19180.53	Y-48	-58631.28	19296.53																																																																																																																																																																																																																																																																																																																																																																								
Y-21	-58573.73	19178.97	Y-49	-58634.30	19306.82																																																																																																																																																																																																																																																																																																																																																																								
Y-22	-58578.18	19188.65	Y-50	-58631.70	19312.99																																																																																																																																																																																																																																																																																																																																																																								
Y-23	-58579.67	19187.96	Y-51	-58630.79	19313.47																																																																																																																																																																																																																																																																																																																																																																								
Y-24	-58583.39	19180.51	Y-52	-58629.43	19320.60																																																																																																																																																																																																																																																																																																																																																																								
Y-25	-58594.77	19195.69	Y-53	-58628.37	19326.12																																																																																																																																																																																																																																																																																																																																																																								
Y-26	-58609.58	19215.62	Y-54	-58618.49	19327.63																																																																																																																																																																																																																																																																																																																																																																								
Y-27	-58606.45	19226.23	Y-55	-58611.96	19328.63																																																																																																																																																																																																																																																																																																																																																																								
Y-28	-58600.45	19236.87	Y-56	-58610.52	19328.85																																																																																																																																																																																																																																																																																																																																																																								
著しい危害のおそれのある土地の座標																																																																																																																																																																																																																																																																																																																																																																													
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)																																																																																																																																																																																																																																																																																																																																																																								
R-1	-58491.54	19217.91	R-29	-58605.41	19257.96																																																																																																																																																																																																																																																																																																																																																																								
R-2	-58497.08	19202.09	R-30	-58609.85	19256.35																																																																																																																																																																																																																																																																																																																																																																								
R-3	-58506.45	19192.10	R-31	-58610.02	19262.22																																																																																																																																																																																																																																																																																																																																																																								
R-4	-58520.19	19181.39	R-32	-58616.56	19276.89																																																																																																																																																																																																																																																																																																																																																																								
R-5	-58529.42	19175.35	R-33	-58620.57	19290.31																																																																																																																																																																																																																																																																																																																																																																								
R-6	-58531.24	19179.76	R-34	-58622.56	19298.20																																																																																																																																																																																																																																																																																																																																																																								
R-7	-58531.24	19179.76	R-35	-58621.43	19298.54																																																																																																																																																																																																																																																																																																																																																																								
R-8	-58523.74	19187.77	R-36	-58623.93	19309.21																																																																																																																																																																																																																																																																																																																																																																								
R-9	-58510.99	19196.07	R-37	-58624.01	19314.09																																																																																																																																																																																																																																																																																																																																																																								
R-10	-58503.07	19205.24	R-38	-58623.07	19314.56																																																																																																																																																																																																																																																																																																																																																																								
R-11	-58495.92	19219.79	R-39	-58617.13	19315.40																																																																																																																																																																																																																																																																																																																																																																								
R-12	-58495.91	19219.79	R-40	-58617.12	19315.40																																																																																																																																																																																																																																																																																																																																																																								
R-13	-58561.73	19191.51	R-41	-58614.81	19315.73																																																																																																																																																																																																																																																																																																																																																																								
R-14	-58564.34	19191.23	R-42	-58615.58	19315.29																																																																																																																																																																																																																																																																																																																																																																								
R-15	-58570.44	19190.56	R-43	-58612.44	19311.86																																																																																																																																																																																																																																																																																																																																																																								
R-16	-58570.59	19192.13	R-44	-58610.45	19300.78																																																																																																																																																																																																																																																																																																																																																																								
R-17	-58577.73	19192.85	R-45	-58610.63	19300.67																																																																																																																																																																																																																																																																																																																																																																								
R-18	-58586.21	19203.86	R-46	-58608.95	19293.47																																																																																																																																																																																																																																																																																																																																																																								
R-19	-58595.96	19219.07	R-47	-58607.22	19279.60																																																																																																																																																																																																																																																																																																																																																																								
R-20	-58594.84	19227.90	R-48	-58604.03	19264.24																																																																																																																																																																																																																																																																																																																																																																								
R-21	-58595.89	19239.64	R-49	-58617.75	19322.30																																																																																																																																																																																																																																																																																																																																																																								
R-22	-58591.90	19242.06	R-50	-58618.35	19322.21																																																																																																																																																																																																																																																																																																																																																																								
R-23	-58582.48	19229.68	R-51	-58618.36	19322.21																																																																																																																																																																																																																																																																																																																																																																								
R-24	-58580.48	19223.00	R-52	-58623.06	19321.52																																																																																																																																																																																																																																																																																																																																																																								
R-25	-58576.86	19212.78	R-53	-58623.20	19326.91																																																																																																																																																																																																																																																																																																																																																																								
R-26	-58571.58	19206.25	R-54	-58618.49	19327.63																																																																																																																																																																																																																																																																																																																																																																								
R-27	-58560.61	19196.71																																																																																																																																																																																																																																																																																																																																																																											
R-28	-58605.41	19257.96																																																																																																																																																																																																																																																																																																																																																																											

急傾斜地の崩壊区域調書

様式5-5 危害のおそれのある土地等の座標一覧

調査年度

令和4年度

急傾斜地の位置

箇所番号

I -151K2269

箇所名

姉崎14

所在地

市原市姉崎

[illegible][illegible]