


急傾斜地の崩壊区域調書

様式5-4 危害のおそれのある土地の座標点位置図

調査年度

平成28年度



急傾斜地の崩壊区域調書

様式5-4 危害のおそれのある土地の座標点位置図

調査年度



平成28年度

急傾斜地の位置	箇所番号	II-0363-b	箇所名	金剛地16	所在地	千葉県市原市金剛地
---------	------	-----------	-----	-------	-----	-----------



基準点1 ●

基準点2 ●



千葉県

急傾斜地の崩壊区域調書

様式5-5 危害のおそれのある土地等の座標一覧

急傾斜地の位置		箇所番号	II-0363-a		箇所名	金剛地16	所在地	千葉県市原市金剛地	調査年度	平成28年度																																																																																																																																																																																																																																																																																																																																																																	
危害のおそれのある土地の座標(土砂災害警戒区域)																																																																																																																																																																																																																																																																																																																																																																											
<table border="1"> <thead> <tr> <th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th></tr> </thead> <tbody> <tr><td>Y-1</td><td>37555.89</td><td>-56365.27</td><td>Y-33</td><td>37559.83</td><td>-56446.82</td><td>R-1</td><td>37557.08</td><td>-56360.13</td><td></td><td></td></tr> <tr><td>Y-2</td><td>37557.13</td><td>-56359.93</td><td>Y-34</td><td>37561.20</td><td>-56444.87</td><td>R-2</td><td>37557.13</td><td>-56359.93</td><td></td><td></td></tr> <tr><td>Y-3</td><td>37558.14</td><td>-56355.53</td><td>Y-35</td><td>37555.07</td><td>-56440.39</td><td>R-3</td><td>37558.14</td><td>-56355.53</td><td></td><td></td></tr> <tr><td>Y-4</td><td>37559.50</td><td>-56349.61</td><td>Y-36</td><td>37557.83</td><td>-56427.11</td><td>R-4</td><td>37573.21</td><td>-56356.08</td><td></td><td></td></tr> <tr><td>Y-5</td><td>37560.70</td><td>-56346.50</td><td>Y-37</td><td>37559.10</td><td>-56408.73</td><td>R-5</td><td>37578.30</td><td>-56376.69</td><td></td><td></td></tr> <tr><td>Y-6</td><td>37562.75</td><td>-56342.27</td><td>Y-38</td><td>37557.80</td><td>-56394.02</td><td>R-6</td><td>37582.55</td><td>-56393.94</td><td></td><td></td></tr> <tr><td>Y-7</td><td>37563.68</td><td>-56340.68</td><td>Y-39</td><td>37549.62</td><td>-56377.26</td><td>R-7</td><td>37584.25</td><td>-56407.96</td><td></td><td></td></tr> <tr><td>Y-8</td><td>37563.81</td><td>-56340.45</td><td>Y-40</td><td>37560.61</td><td>-56371.53</td><td>R-8</td><td>37585.40</td><td>-56421.10</td><td></td><td></td></tr> <tr><td>Y-9</td><td>37585.70</td><td>-56343.31</td><td></td><td></td><td></td><td>R-9</td><td>37578.94</td><td>-56422.51</td><td></td><td></td></tr> <tr><td>Y-10</td><td>37594.40</td><td>-56376.37</td><td></td><td></td><td></td><td>R-10</td><td>37571.77</td><td>-56424.07</td><td></td><td></td></tr> <tr><td>Y-11</td><td>37598.58</td><td>-56394.11</td><td></td><td></td><td></td><td>R-11</td><td>37571.32</td><td>-56424.17</td><td></td><td></td></tr> <tr><td>Y-12</td><td>37600.39</td><td>-56407.87</td><td></td><td></td><td></td><td>R-12</td><td>37571.07</td><td>-56408.36</td><td></td><td></td></tr> <tr><td>Y-13</td><td>37600.84</td><td>-56418.37</td><td></td><td></td><td></td><td>R-13</td><td>37569.63</td><td>-56393.98</td><td></td><td></td></tr> <tr><td>Y-14</td><td>37606.68</td><td>-56431.95</td><td></td><td></td><td></td><td>R-14</td><td>37563.35</td><td>-56376.99</td><td></td><td></td></tr> <tr><td>Y-15</td><td>37605.02</td><td>-56441.31</td><td></td><td></td><td></td><td>R-15</td><td>37566.42</td><td>-56364.40</td><td></td><td></td></tr> <tr><td>Y-16</td><td>37594.35</td><td>-56457.55</td><td></td><td></td><td></td><td>R-16</td><td>37568.88</td><td>-56462.23</td><td></td><td></td></tr> <tr><td>Y-17</td><td>37588.88</td><td>-56459.90</td><td></td><td></td><td></td><td>R-17</td><td>37569.96</td><td>-56461.95</td><td></td><td></td></tr> <tr><td>Y-18</td><td>37593.14</td><td>-56464.59</td><td></td><td></td><td></td><td>R-18</td><td>37573.35</td><td>-56461.07</td><td></td><td></td></tr> <tr><td>Y-19</td><td>37602.92</td><td>-56480.19</td><td></td><td></td><td></td><td>R-19</td><td>37579.88</td><td>-56468.34</td><td></td><td></td></tr> <tr><td>Y-20</td><td>37600.37</td><td>-56501.34</td><td></td><td></td><td></td><td>R-20</td><td>37588.54</td><td>-56482.27</td><td></td><td></td></tr> <tr><td>Y-21</td><td>37604.24</td><td>-56503.49</td><td></td><td></td><td></td><td>R-21</td><td>37585.55</td><td>-56501.07</td><td></td><td></td></tr> <tr><td>Y-22</td><td>37602.88</td><td>-56509.44</td><td></td><td></td><td></td><td>R-22</td><td>37586.39</td><td>-56504.07</td><td></td><td></td></tr> <tr><td>Y-23</td><td>37599.21</td><td>-56511.44</td><td></td><td></td><td></td><td>R-23</td><td>37589.47</td><td>-56516.77</td><td></td><td></td></tr> <tr><td>Y-24</td><td>37594.11</td><td>-56514.24</td><td></td><td></td><td></td><td>R-24</td><td>37589.28</td><td>-56516.87</td><td></td><td></td></tr> <tr><td>Y-25</td><td>37589.28</td><td>-56516.87</td><td></td><td></td><td></td><td>R-25</td><td>37585.87</td><td>-56518.74</td><td></td><td></td></tr> <tr><td>Y-26</td><td>37585.87</td><td>-56518.74</td><td></td><td></td><td></td><td>R-26</td><td>37585.23</td><td>-56519.09</td><td></td><td></td></tr> <tr><td>Y-27</td><td>37580.16</td><td>-56521.86</td><td></td><td></td><td></td><td>R-27</td><td>37574.39</td><td>-56504.12</td><td></td><td></td></tr> <tr><td>Y-28</td><td>37564.26</td><td>-56504.10</td><td></td><td></td><td></td><td>R-28</td><td>37579.65</td><td>-56500.96</td><td></td><td></td></tr> <tr><td>Y-29</td><td>37572.59</td><td>-56500.83</td><td></td><td></td><td></td><td>R-29</td><td>37582.67</td><td>-56483.12</td><td></td><td></td></tr> <tr><td>Y-30</td><td>37575.20</td><td>-56484.20</td><td></td><td></td><td></td><td>R-30</td><td>37576.56</td><td>-56469.88</td><td></td><td></td></tr> <tr><td>Y-31</td><td>37570.81</td><td>-56472.56</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>Y-32</td><td>37563.68</td><td>-56463.58</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y-1	37555.89	-56365.27	Y-33	37559.83	-56446.82	R-1	37557.08	-56360.13			Y-2	37557.13	-56359.93	Y-34	37561.20	-56444.87	R-2	37557.13	-56359.93			Y-3	37558.14	-56355.53	Y-35	37555.07	-56440.39	R-3	37558.14	-56355.53			Y-4	37559.50	-56349.61	Y-36	37557.83	-56427.11	R-4	37573.21	-56356.08			Y-5	37560.70	-56346.50	Y-37	37559.10	-56408.73	R-5	37578.30	-56376.69			Y-6	37562.75	-56342.27	Y-38	37557.80	-56394.02	R-6	37582.55	-56393.94			Y-7	37563.68	-56340.68	Y-39	37549.62	-56377.26	R-7	37584.25	-56407.96			Y-8	37563.81	-56340.45	Y-40	37560.61	-56371.53	R-8	37585.40	-56421.10			Y-9	37585.70	-56343.31				R-9	37578.94	-56422.51			Y-10	37594.40	-56376.37				R-10	37571.77	-56424.07			Y-11	37598.58	-56394.11				R-11	37571.32	-56424.17			Y-12	37600.39	-56407.87				R-12	37571.07	-56408.36			Y-13	37600.84	-56418.37				R-13	37569.63	-56393.98			Y-14	37606.68	-56431.95				R-14	37563.35	-56376.99			Y-15	37605.02	-56441.31				R-15	37566.42	-56364.40			Y-16	37594.35	-56457.55				R-16	37568.88	-56462.23			Y-17	37588.88	-56459.90				R-17	37569.96	-56461.95			Y-18	37593.14	-56464.59				R-18	37573.35	-56461.07			Y-19	37602.92	-56480.19				R-19	37579.88	-56468.34			Y-20	37600.37	-56501.34				R-20	37588.54	-56482.27			Y-21	37604.24	-56503.49				R-21	37585.55	-56501.07			Y-22	37602.88	-56509.44				R-22	37586.39	-56504.07			Y-23	37599.21	-56511.44				R-23	37589.47	-56516.77			Y-24	37594.11	-56514.24				R-24	37589.28	-56516.87			Y-25	37589.28	-56516.87				R-25	37585.87	-56518.74			Y-26	37585.87	-56518.74				R-26	37585.23	-56519.09			Y-27	37580.16	-56521.86				R-27	37574.39	-56504.12			Y-28	37564.26	-56504.10				R-28	37579.65	-56500.96			Y-29	37572.59	-56500.83				R-29	37582.67	-56483.12			Y-30	37575.20	-56484.20				R-30	37576.56	-56469.88			Y-31	37570.81	-56472.56									Y-32	37563.68	-56463.58								
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)																																																																																																																																																																																																																																																																																																																																																																	
Y-1	37555.89	-56365.27	Y-33	37559.83	-56446.82	R-1	37557.08	-56360.13																																																																																																																																																																																																																																																																																																																																																																			
Y-2	37557.13	-56359.93	Y-34	37561.20	-56444.87	R-2	37557.13	-56359.93																																																																																																																																																																																																																																																																																																																																																																			
Y-3	37558.14	-56355.53	Y-35	37555.07	-56440.39	R-3	37558.14	-56355.53																																																																																																																																																																																																																																																																																																																																																																			
Y-4	37559.50	-56349.61	Y-36	37557.83	-56427.11	R-4	37573.21	-56356.08																																																																																																																																																																																																																																																																																																																																																																			
Y-5	37560.70	-56346.50	Y-37	37559.10	-56408.73	R-5	37578.30	-56376.69																																																																																																																																																																																																																																																																																																																																																																			
Y-6	37562.75	-56342.27	Y-38	37557.80	-56394.02	R-6	37582.55	-56393.94																																																																																																																																																																																																																																																																																																																																																																			
Y-7	37563.68	-56340.68	Y-39	37549.62	-56377.26	R-7	37584.25	-56407.96																																																																																																																																																																																																																																																																																																																																																																			
Y-8	37563.81	-56340.45	Y-40	37560.61	-56371.53	R-8	37585.40	-56421.10																																																																																																																																																																																																																																																																																																																																																																			
Y-9	37585.70	-56343.31				R-9	37578.94	-56422.51																																																																																																																																																																																																																																																																																																																																																																			
Y-10	37594.40	-56376.37				R-10	37571.77	-56424.07																																																																																																																																																																																																																																																																																																																																																																			
Y-11	37598.58	-56394.11				R-11	37571.32	-56424.17																																																																																																																																																																																																																																																																																																																																																																			
Y-12	37600.39	-56407.87				R-12	37571.07	-56408.36																																																																																																																																																																																																																																																																																																																																																																			
Y-13	37600.84	-56418.37				R-13	37569.63	-56393.98																																																																																																																																																																																																																																																																																																																																																																			
Y-14	37606.68	-56431.95				R-14	37563.35	-56376.99																																																																																																																																																																																																																																																																																																																																																																			
Y-15	37605.02	-56441.31				R-15	37566.42	-56364.40																																																																																																																																																																																																																																																																																																																																																																			
Y-16	37594.35	-56457.55				R-16	37568.88	-56462.23																																																																																																																																																																																																																																																																																																																																																																			
Y-17	37588.88	-56459.90				R-17	37569.96	-56461.95																																																																																																																																																																																																																																																																																																																																																																			
Y-18	37593.14	-56464.59				R-18	37573.35	-56461.07																																																																																																																																																																																																																																																																																																																																																																			
Y-19	37602.92	-56480.19				R-19	37579.88	-56468.34																																																																																																																																																																																																																																																																																																																																																																			
Y-20	37600.37	-56501.34				R-20	37588.54	-56482.27																																																																																																																																																																																																																																																																																																																																																																			
Y-21	37604.24	-56503.49				R-21	37585.55	-56501.07																																																																																																																																																																																																																																																																																																																																																																			
Y-22	37602.88	-56509.44				R-22	37586.39	-56504.07																																																																																																																																																																																																																																																																																																																																																																			
Y-23	37599.21	-56511.44				R-23	37589.47	-56516.77																																																																																																																																																																																																																																																																																																																																																																			
Y-24	37594.11	-56514.24				R-24	37589.28	-56516.87																																																																																																																																																																																																																																																																																																																																																																			
Y-25	37589.28	-56516.87				R-25	37585.87	-56518.74																																																																																																																																																																																																																																																																																																																																																																			
Y-26	37585.87	-56518.74				R-26	37585.23	-56519.09																																																																																																																																																																																																																																																																																																																																																																			
Y-27	37580.16	-56521.86				R-27	37574.39	-56504.12																																																																																																																																																																																																																																																																																																																																																																			
Y-28	37564.26	-56504.10				R-28	37579.65	-56500.96																																																																																																																																																																																																																																																																																																																																																																			
Y-29	37572.59	-56500.83				R-29	37582.67	-56483.12																																																																																																																																																																																																																																																																																																																																																																			
Y-30	37575.20	-56484.20				R-30	37576.56	-56469.88																																																																																																																																																																																																																																																																																																																																																																			
Y-31	37570.81	-56472.56																																																																																																																																																																																																																																																																																																																																																																									
Y-32	37563.68	-56463.58																																																																																																																																																																																																																																																																																																																																																																									
著しい危害のおそれのある土地の座標(土砂災害特別警戒区域)																																																																																																																																																																																																																																																																																																																																																																											
<table border="1"> <thead> <tr> <th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th><th>Y(m)</th><th>地点記号</th><th>X(m)</th></tr> </thead> <tbody> <tr><td>R-1</td><td>37557.08</td><td>-56360.13</td><td></td><td></td><td></td><td>R-2</td><td>37557.13</td><td>-56359.93</td><td></td><td></td></tr> <tr><td>R-2</td><td>37557.13</td><td>-56359.93</td><td></td><td></td><td></td><td>R-3</td><td>37558.14</td><td>-56355.53</td><td></td><td></td></tr> <tr><td>R-3</td><td>37558.14</td><td>-56355.53</td><td></td><td></td><td></td><td>R-4</td><td>37573.21</td><td>-56356.08</td><td></td><td></td></tr> <tr><td>R-4</td><td>37573.21</td><td>-56356.08</td><td></td><td></td><td></td><td>R-5</td><td>37578.30</td><td>-56376.69</td><td></td><td></td></tr> <tr><td>R-5</td><td>37578.30</td><td>-56376.69</td><td></td><td></td><td></td><td>R-6</td><td>37582.55</td><td>-56393.94</td><td></td><td></td></tr> <tr><td>R-6</td><td>37582.55</td><td>-56393.94</td><td></td><td></td><td></td><td>R-7</td><td>37584.25</td><td>-56407.96</td><td></td><td></td></tr> <tr><td>R-7</td><td>37584.25</td><td>-56407.96</td><td></td><td></td><td></td><td>R-8</td><td>37585.40</td><td>-56421.10</td><td></td><td></td></tr> <tr><td>R-8</td><td>37585.40</td><td>-56421.10</td><td></td><td></td><td></td><td>R-9</td><td>37578.94</td><td>-56422.51</td><td></td><td></td></tr> <tr><td>R-9</td><td>37578.94</td><td>-56422.51</td><td></td><td></td><td></td><td>R-10</td><td>37571.77</td><td>-56424.07</td><td></td><td></td></tr> <tr><td>R-10</td><td>37571.77</td><td>-56424.07</td><td></td><td></td><td></td><td>R-11</td><td>37571.32</td><td>-56424.17</td><td></td><td></td></tr> <tr><td>R-11</td><td>37571.32</td><td>-56424.17</td><td></td><td></td><td></td><td>R-12</td><td>37571.07</td><td>-56408.36</td><td></td><td></td></tr> <tr><td>R-12</td><td>37571.07</td><td>-56408.36</td><td></td><td></td><td></td><td>R-13</td><td>37569.63</td><td>-56393.98</td><td></td><td></td></tr> <tr><td>R-13</td><td>37569.63</td><td>-56393.98</td><td></td><td></td><td></td><td>R-14</td><td>37563.35</td><td>-56376.99</td><td></td><td></td></tr> <tr><td>R-14</td><td>37563.35</td><td>-56376.99</td><td></td><td></td><td></td><td>R-15</td><td>37566.42</td><td>-56364.40</td><td></td><td></td></tr> <tr><td>R-15</td><td>37566.42</td><td>-56364.40</td><td></td><td></td><td></td><td>R-16</td><td>37568.88</td><td>-56462.23</td><td></td><td></td></tr> <tr><td>R-16</td><td>37568.88</td><td>-56462.23</td><td></td><td></td><td></td><td>R-17</td><td>37569.96</td><td>-56461.95</td><td></td><td></td></tr> <tr><td>R-17</td><td>37569.96</td><td>-56461.95</td><td></td><td></td><td></td><td>R-18</td><td>37573.35</td><td>-56461.07</td><td></td><td></td></tr> <tr><td>R-18</td><td>37573.35</td><td>-56461.07</td><td></td><td></td><td></td><td>R-19</td><td>37579.88</td><td>-56468.34</td><td></td><td></td></tr> <tr><td>R-19</td><td>37579.88</td><td>-56468.34</td><td></td><td></td><td></td><td>R-20</td><td>37588.54</td><td>-56482.27</td><td></td><td></td></tr> <tr><td>R-20</td><td>37588.54</td><td>-56482.27</td><td></td><td></td><td></td><td>R-21</td><td>37585.55</td><td>-56501.07</td><td></td><td></td></tr> <tr><td>R-21</td><td>37585.55</td><td>-56501.07</td><td></td><td></td><td></td><td>R-22</td><td>37586.39</td><td>-56504.07</td><td></td><td></td></tr> <tr><td>R-22</td><td>37586.39</td><td>-56504.07</td><td></td><td></td><td></td><td>R-23</td><td>37589.47</td><td>-56516.77</td><td></td><td></td></tr> <tr><td>R-23</td><td>37589.47</td><td>-56516.77</td><td></td><td></td><td></td><td>R-24</td><td>37589.28</td><td>-56516.87</td><td></td><td></td></tr> <tr><td>R-24</td><td>37589.28</td><td>-56516.87</td><td></td><td></td><td></td><td>R-25</td><td>37585.87</td><td>-56518.74</td><td></td><td></td></tr> <tr><td>R-25</td><td>37585.87</td><td>-56518.74</td><td></td><td></td><td></td><td>R-26</td><td>37585.23</td><td>-56519.09</td><td></td><td></td></tr> <tr><td>R-26</td><td>37585.23</td><td>-56519.09</td><td></td><td></td><td></td><td>R-27</td><td>37574.39</td><td>-56504.12</td><td></td><td></td></tr> <tr><td>R-27</td><td>37574.39</td><td>-56504.12</td><td></td><td></td><td></td><td>R-28</td><td>37579.65</td><td>-56500.96</td><td></td><td></td></tr> <tr><td>R-28</td><td>37579.65</td><td>-56500.96</td><td></td><td></td><td></td><td>R-29</td><td>37582.67</td><td>-56483.12</td><td></td><td></td></tr> <tr><td>R-29</td><td>37582.67</td><td>-56483.12</td><td></td><td></td><td></td><td>R-30</td><td>37576.56</td><td>-56469.88</td><td></td><td></td></tr> <tr><td>R-30</td><td>37576.56</td><td>-56469.88</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	R-1	37557.08	-56360.13				R-2	37557.13	-56359.93			R-2	37557.13	-56359.93				R-3	37558.14	-56355.53			R-3	37558.14	-56355.53				R-4	37573.21	-56356.08			R-4	37573.21	-56356.08				R-5	37578.30	-56376.69			R-5	37578.30	-56376.69				R-6	37582.55	-56393.94			R-6	37582.55	-56393.94				R-7	37584.25	-56407.96			R-7	37584.25	-56407.96				R-8	37585.40	-56421.10			R-8	37585.40	-56421.10				R-9	37578.94	-56422.51			R-9	37578.94	-56422.51				R-10	37571.77	-56424.07			R-10	37571.77	-56424.07				R-11	37571.32	-56424.17			R-11	37571.32	-56424.17				R-12	37571.07	-56408.36			R-12	37571.07	-56408.36				R-13	37569.63	-56393.98			R-13	37569.63	-56393.98				R-14	37563.35	-56376.99			R-14	37563.35	-56376.99				R-15	37566.42	-56364.40			R-15	37566.42	-56364.40				R-16	37568.88	-56462.23			R-16	37568.88	-56462.23				R-17	37569.96	-56461.95			R-17	37569.96	-56461.95				R-18	37573.35	-56461.07			R-18	37573.35	-56461.07				R-19	37579.88	-56468.34			R-19	37579.88	-56468.34				R-20	37588.54	-56482.27			R-20	37588.54	-56482.27				R-21	37585.55	-56501.07			R-21	37585.55	-56501.07				R-22	37586.39	-56504.07			R-22	37586.39	-56504.07				R-23	37589.47	-56516.77			R-23	37589.47	-56516.77				R-24	37589.28	-56516.87			R-24	37589.28	-56516.87				R-25	37585.87	-56518.74			R-25	37585.87	-56518.74				R-26	37585.23	-56519.09			R-26	37585.23	-56519.09				R-27	37574.39	-56504.12			R-27	37574.39	-56504.12				R-28	37579.65	-56500.96			R-28	37579.65	-56500.96				R-29	37582.67	-56483.12			R-29	37582.67	-56483.12				R-30	37576.56	-56469.88			R-30	37576.56	-56469.88																														
地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)	Y(m)	地点記号	X(m)																																																																																																																																																																																																																																																																																																																																																																	
R-1	37557.08	-56360.13				R-2	37557.13	-56359.93																																																																																																																																																																																																																																																																																																																																																																			
R-2	37557.13	-56359.93				R-3	37558.14	-56355.53																																																																																																																																																																																																																																																																																																																																																																			
R-3	37558.14	-56355.53				R-4	37573.21	-56356.08																																																																																																																																																																																																																																																																																																																																																																			
R-4	37573.21	-56356.08				R-5	37578.30	-56376.69																																																																																																																																																																																																																																																																																																																																																																			
R-5	37578.30	-56376.69				R-6	37582.55	-56393.94																																																																																																																																																																																																																																																																																																																																																																			
R-6	37582.55	-56393.94				R-7	37584.25	-56407.96																																																																																																																																																																																																																																																																																																																																																																			
R-7	37584.25	-56407.96				R-8	37585.40	-56421.10																																																																																																																																																																																																																																																																																																																																																																			
R-8	37585.40	-56421.10				R-9	37578.94	-56422.51																																																																																																																																																																																																																																																																																																																																																																			
R-9	37578.94	-56422.51				R-10	37571.77	-56424.07																																																																																																																																																																																																																																																																																																																																																																			
R-10	37571.77	-56424.07				R-11	37571.32	-56424.17																																																																																																																																																																																																																																																																																																																																																																			
R-11	37571.32	-56424.17				R-12	37571.07	-56408.36																																																																																																																																																																																																																																																																																																																																																																			
R-12	37571.07	-56408.36				R-13	37569.63	-56393.98																																																																																																																																																																																																																																																																																																																																																																			
R-13	37569.63	-56393.98				R-14	37563.35	-56376.99																																																																																																																																																																																																																																																																																																																																																																			
R-14	37563.35	-56376.99				R-15	37566.42	-56364.40																																																																																																																																																																																																																																																																																																																																																																			
R-15	37566.42	-56364.40				R-16	37568.88	-56462.23																																																																																																																																																																																																																																																																																																																																																																			
R-16	37568.88	-56462.23				R-17	37569.96	-56461.95																																																																																																																																																																																																																																																																																																																																																																			
R-17	37569.96	-56461.95				R-18	37573.35	-56461.07																																																																																																																																																																																																																																																																																																																																																																			
R-18	37573.35	-56461.07				R-19	37579.88	-56468.34																																																																																																																																																																																																																																																																																																																																																																			
R-19	37579.88	-56468.34				R-20	37588.54	-56482.27																																																																																																																																																																																																																																																																																																																																																																			
R-20	37588.54	-56482.27				R-21	37585.55	-56501.07																																																																																																																																																																																																																																																																																																																																																																			
R-21	37585.55	-56501.07				R-22	37586.39	-56504.07																																																																																																																																																																																																																																																																																																																																																																			
R-22	37586.39	-56504.07				R-23	37589.47	-56516.77																																																																																																																																																																																																																																																																																																																																																																			
R-23	37589.47	-56516.77				R-24	37589.28	-56516.87																																																																																																																																																																																																																																																																																																																																																																			
R-24	37589.28	-56516.87				R-25	37585.87	-56518.74																																																																																																																																																																																																																																																																																																																																																																			
R-25	37585.87	-56518.74				R-26	37585.23	-56519.09																																																																																																																																																																																																																																																																																																																																																																			
R-26	37585.23	-56519.09				R-27	37574.39	-56504.12																																																																																																																																																																																																																																																																																																																																																																			
R-27	37574.39	-56504.12				R-28	37579.65	-56500.96																																																																																																																																																																																																																																																																																																																																																																			
R-28	37579.65	-56500.96				R-29	37582.67	-56483.12																																																																																																																																																																																																																																																																																																																																																																			
R-29	37582.67	-56483.12				R-30	37576.56	-56469.88																																																																																																																																																																																																																																																																																																																																																																			
R-30	37576.56	-56469.88																																																																																																																																																																																																																																																																																																																																																																									

急傾斜地の崩壊区域調書

様式5-5 危害のおそれのある土地等の座標一覧